Dkt.61010-AB-1/JPW/MAF/DJK



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

Applicants: Tatjana Dragic and William C. Olson

JAN 3 0 2003

Serial No.: 10/086,814

Filed : February 28, 2002

TECH CENTER 1600/2900

For : SULFAT

: SULFATED CCR5 PEPTIDES FOR HIV-1 INFECTION

1185 Avenue of the Americas New York, New York 10036

January 22, 2003

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

INFORMATION DISCLOSURE STATEMENT

In accordance with their duty of disclosure under 37 C.F.R. \$1.56, applicants direct the Examiner's attention to the following references which are listed on the PTO-1449 form attached hereto as **Exhibit A** and are also listed below. Copies of the documents listed below as items 1-12 are attached here to as **Exhibits 1-12** respectively.

- 1. Baba, et al., (1998) "Mechanism of Inhibitory Effect of Dextran Sulfate and Heparin on Replication of Human Immunodeficiency Virus In Vitro", Proc. Natl. Acad. Sci. U.S.A. 85:6132-6135 (Exhibit 1);
- 2. Baulerle and Huttner, (1987) "Tyrosine Sulfation Is a trans-Golgi-specific Protein Modification", Cell Biol. 105:2655-2663 (Exhibit 2);
- 3. Blanpain, C., et al. (1999) "Multiple Charged and Aromatic Residues in CCR5 Amino-terminal Domain Are Involved in High Affinity Binding of Both Chemokines and HIV-1 Env Protein", J. Biol. Chem. 274:34719-34727 (Exhibit 3);

Applicants: Tatjana Dragic and William C. Olson

Serial No.: 10/086,814

Filed: February 28, 2002

Page 2

- 4. Cormier, E.G., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Peptides Containing Sulfotyrosines With HIV-1 Envelope Glycoprotein gp120", Proc. Nat. Acad. Sci. U.S.A. 97:5762-5767 (Exhibit 4);
- 5. Doranz, B. J. et al. (1997) "Two Distinct CCR5 Domains Can Mediate Coreceptor Usage By Human Immunodeficiency Virus Type 1", J. Virol. 71:6305-6314 (Exhibit 5);
- 6. Dragic, T. et al., (1998) "Amino-terminal Substitutions in The CCR5 Coreceptor Impair gp120 Binding and Human Immunodeficiency Virus Type 1 Entry", J. Virol. 72:279-285 (Exhibit 6);
- 7. Farzan, M., et al., (1998) "A Tyrosine-Rich Region in the N Terminus of CCR5 Is Important for Human Immunodeficiency Virus Type 1 Entry and Mediates an Association Between gp120 and CCR5", J. Virol. 72:1160-1164 (Exhibit 7);
- 8. Farzan M., et al. (2000) "A Tyrosine-sulfated Peptide Based on the N Terminus of CCR5 Interacts with a CD4-enhanced Epitope of the HIV-1 gp120 Envelope Glycoprotein and Inhibits HIV-1 Entry", J. Biol. Chem. 275:33516-33521 (Exhibit 8);
- 9. Farzan, M., et al. (1999) "Tyrosine Sulfation of the Amino Terminus of CCR5 Facilitates HIV-1 Entry", Cell 96:667-676 (Exhibit 9);
- 10. Hwang, S. S., et al., (1991) "Identification of the Envelope V3 Loop as the Primary Determinant of Cell Tropism in HIV-1", Science 253:71-74 (Exhibit 10);

Applicants: Tatjana Dragic and William C. Olson Serial No.: 10/086,814
Filed: February 28, 2002

Page 3

11. Rabut, G. E., et al., (1998) "Alanine Substitutions of Polar and Nonpolar Residues in the Amino-Terminal Domain of CCR5 Differently Impair Entry of Macrophage-and Dualtropic Isolates of Human Immunodeficiency Virus Type 1", J. Virol. 72:3464-3468 (Exhibit 11);

12. Rodriguez, G., et al., (1995) "Mediation of Human Immunodeficiency Virus Type 1 Binding by Interaction of Cell Surface Heparan Sulfate Proteoglycans with the V3 Region of Envelope gp120-gp41", J. Virol. 69:2233-2239 (Exhibit 12).

The Examiner is respectfully requested to make these references of record in the present application by initialing and dating the entries on the enclosed form PTO-1449 and returning a copy thereof to applicants' representatives.

Applicants: Tatjana Dragic and William C. Olson

Serial No.: 10/086,814

Filed

: February 28, 2002

Page 4

If a telephone interview would be of assistance in advancing prosecution of the subject application, applicants' undersigned attorneys invite the Examiner to telephone either of them at the number provided below.

Pursuant to 37 C.F.R. §1.97(b)(3), no fee is deemed necessary in connection with the filing of this Information Disclosure Statement. However, if any fee is required, authorization is hereby given to charge the amount of any such fee to Deposit Account No. 03-3125.

hereby certify that correspondence is being deposited this date with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, ch C Folly

John P. White

Reg. No. 28,678 Mark A. Farley Reg. No. 33,170 Date

1-22-03

Registration No. Mark A. Farley Registration No. 33,170 Attorneys for Applicant(s) Cooper & Dunham, LLP 1185 Avenue of the Americas New York, New York 10036 (212) 278-0400

RECEIVED

TECH CENTER 1600/2!

Sheet 1 of 1

Tokin PT 1449

U.S. Department of Commerce
Patent and Trademark Office

INFORMATION DISCLOSURE CITATION

JAN 2 7 2003

Atty. Docket No. 61010-AB-1

Serial No. JAN 3 0 2003

Applicant(s)

Tatjana Dragic and William C. Olson

Filing Date
February 28, 200

Group Art Unit

PADEMARKO	(Use several sheets if necessary)					Filing Date February 28, 2002		Group Art Unit		
			U.S. 1	PATENT DOCUM	MENTS					
Examiner Initials	Document Number		Date	Name	Class	Subclass	Filing Date If Appropriate			
		1_1_1_	FOREIG	N PATENT DOC	CUMENTS					
	T						Tran	Translation		
Examiner Initials	Document Number		Date	Date Name	Class	Subclass	Yes	No		
	THED	OCUME	NTS (Inc.	luding Author, Ti	tla Data Par	tinont Page	es Eta)	1		
			-							
	Baba, e	et al., (1998)) "Mechani	sm of Inhibitory Eff nodeficiency Virus I	ect of Dextran :	Sulfate and I	Heparin on	95-6133		
Ì		auon or Frur Exhibit 1);	nan mmu	lodeficiency virus II	n viiro, <u>Pioc. i</u>	Nau. Acad.	<u>sci. U.S.A.</u>	03.0132		
			er (1987)	"Tyrosine Sulfation	Is a trans-Golg	i-specific Pr	otein Modi	fication'		
		ol. 105:265			10 4 11 11111 0018					
	Blanpain, C., et al. (1999) "Multiple Charged and Aromatic Residues in CCR5 Am Domain Are Involved in High Affinity Binding of Both Chemokines and HIV-1 Er Biol. Chem. 274:34719-34727 (Exhibit 3); Cormier, E.G., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., (2000) "Specific Interaction of CCR5 Amino-terminal Domain Cormier, Ed., et al., et a							R5 Amino-terminal		
								ptides		
	Containing Sulfotyrosines With HIV-1 Envelope Glycoprotein gp120" Proc. Nat. Acad. Sci. U.S.A. 97:5762-5767 (Exhibit 4);									
					Omaine Can Mo	ediate Corec	entor Usag	e By		
	Doranz, B. J. et al. (1997) "Two Distinct CCR5 Domains Can Mediate Coreceptor Usage By Human Immunodeficiency Virus Type 1", J. Virol. 71:6305-6314 (Exhibit 5);									
	Dragic, T. et al., (1998) "Amino-terminal Substitutions in The CCR5 Coreceptor Impair gp120									
	Binding and Human Immunodeficiency Virus Type 1 Entry", J. Virol. 72:279-285 (Exhibit 6);									
				Tyrosine-Rich Regio						
ľ	Human Immunodeficiency Virus Type 1 Entry and Mediates an Association Between gp120 and CCR5", J. Virol. 72:1160-1164 (Exhibit7);									
	CCR5"	', <u>J. Virol.</u> 7	2:1160-116	64 (Exhibit7);		N. D.	COOD			
	Farzan	M., et al. (2	2000) "A T	yrosine-sulfated Peped Epitope of the ΗΓ	tide Based on the	ne in Termin	ius oi CCK protein and	.) Inhihite		
	HIV-1	Entry" I E	J4-emiliance	275:33516-33521 (I	v -1 gp120 Elive Exhibit 8):	crope Grycol	protein and	mmons		
						inus of CCR	5 Facilitate	s HIV-1		
ļ	Farzan, M., et al. (1999) "Tyrosine Sulfation of the Amino Terminus of CCR5 Facilitates HIV-1 Entry", Cell 96:667-676 (Exhibit 9);									
				dentification of the	Envelope V3 Lo	oop as the Pi	rimary Det	erminant		
				<u>cience</u> 253:71-74 (Ex			Ž			
	Rabut,	G. E., et al.	, (1998) "A	lanine Substitutions	of Polar and N	onpolar Res	idues in the	e Amino		
	Termin	nal Domain	of CCR5 I	ifferently Impair En	try of Macroph	age-and Dua	altropic Iso	lates of		
	Human	ı Immunode	eficiency V	irus Type 1", <u>J. Viro</u>	<u>1.</u> 72:3464-3468	8 (Exhibit 11	1);			
	Rodrig	uez, G., et a	ıl., (1995) '	'Mediation of Huma	n Immunodefic	iency Virus	Type 1 Bir	nding by		
	Interact	tion of Cell	Surface H	eparan Sulfate Prote	oglycans with tl	ne V3 Regio	n of Envel	ope		
	gp120-	gp41", <u>J. V</u>	irol. 69:22.	33-2239 (Exhibit 12))					
EXAMINER				DATE CONSIDERE	AD.					

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicants:

Tatjana Dragic and

William C. Olson

U.S. Serial No.: 10/086,814

Filed:

February 28, 2002

(Exhibit A)